



ELSEVIER

Sleep Medicine 4 (2003) 359

**SLEEP
MEDICINE**

www.elsevier.com/locate/sleep

Erratum

Erratum to “Spindle frequency remains slow in sleep apnea patients
throughout the night”

[Sleep Med 4 (2003) 229–234][☆]

Sari-Leena Himanen^{a,*}, Jussi Virkkala^{a,b}, Eero Huupponen^c, Joel Hasan^{a,b}

^a*Department of Clinical Neurophysiology, Tampere University Hospital, P.O. Box 2000, FIN-33521 Tampere, Finland*

^b*Section of Clinical Neuroscience, Finnish Institute of Occupational Health, Helsinki, Finland*

^c*Signal Processing Laboratory, Tampere University of Technology, Tampere, Finland*

Received 9 July 2002; received in revised form 17 September 2002; accepted 25 September 2002

The publisher regrets that in the original printing of the above article, Figure 1 was mistakenly printed twice. This resulted in the original version of Figure 2 being omitted. The correct version of this Figure and the corrected article have been included in this issue of Sleep Medicine.

The publisher apologises for any inconvenience caused.

[☆] doi of original article 10.1016/S1389-9457(02)00239-3.

* Corresponding author. Tel.: +358-3-247-7578; fax: +358-3-247-4352.

E-mail address: sari-leena.himanen@pshp.fi (S.L. Himanen).